



**HANGZHOU TONNY
ELECTRIC & TOOLS CO.,LTD**

E-mail: robert@china-tonytool.com

1995
ESTABLISH



www.china-tonytool.com



www.tonyautotech.com



OUTDOOR AND AUTO COOKWARE

COMPANY PROFILE

Founded in 1995, Hangzhou Tonny Electric & Tools Co., Ltd is a leading manufacturer and supplier of automotive electrical appliances and tools. The factory is located in Xianlin Industrial Zone, Xianlin Town, Yuhang District, Hangzhou City, with its facilities of over 200000 square feet factory site and 140000 square feet building area.

[Read More →](#)



The company specializes in design, development, manufacture and marketing of automotive electrical appliances and tools, providing OEM and ODM services to customers as well. Currently, we have twenty standard assembly lines, tens of advanced injection machines, and more than 300 employees for the production of various kinds of products.



TE1-0465 TE1-0466 TE1-0467



TE1-0465
12V · 100W



TE1-0466
12V · 100W

- TE1-0465 TE1-0466 TE1-0467
1. TE1-0465 is a car seat warmer, which is a small, portable, and easy-to-use device.
 2. TE1-0466 is a car seat warmer, which is a small, portable, and easy-to-use device.
 3. TE1-0467 is a car seat warmer, which is a small, portable, and easy-to-use device.
 4. TE1-0468 is a car seat warmer, which is a small, portable, and easy-to-use device.

TE1-0468 TE1-0469 TE1-0470



TE1-0468
12V · 100W



TE1-0469
12V · 100W

- TE1-0468 TE1-0469 TE1-0470
1. TE1-0468 is a car seat warmer, which is a small, portable, and easy-to-use device.
 2. TE1-0469 is a car seat warmer, which is a small, portable, and easy-to-use device.
 3. TE1-0470 is a car seat warmer, which is a small, portable, and easy-to-use device.
 4. TE1-0471 is a car seat warmer, which is a small, portable, and easy-to-use device.
 5. TE1-0472 is a car seat warmer, which is a small, portable, and easy-to-use device.
 6. TE1-0473 is a car seat warmer, which is a small, portable, and easy-to-use device.

TE1-0474 TE1-0475 TE1-0476 TE1-0477 TE1-0478 TE1-0479 TE1-0480 TE1-0481 TE1-0482 TE1-0483 TE1-0484 TE1-0485 TE1-0486 TE1-0487 TE1-0488 TE1-0489 TE1-0490





TE1-0474
12V



TE1-0475
12V



TE1-0476
12V

Technical Specifications

Model	Size	Capacity	Rated AC Input Voltage	Power	Refrigeration principle	Material	Color
TE1-0465	255X175X265mm	4L	DC12V AC110V or AC220V	Cooling 56W Heating 48W	Semiconductor Refrigeration	ABS food grade plastic	Can be customized
TE1-0466	300X240X350mm	10L					
TE1-0467	350X280X410mm	16L		Cooling 70W Heating 60W			

- [illegible]



-



2 IN 1 PORTABLE RECHARGEABLE ESPRESSO COFFEE MACHINE



1. The machine is made of high-quality materials and is very durable.
2. The machine is very easy to use and can be used anywhere.
3. The machine is very quiet and does not make any noise.
4. The machine is very fast and can make coffee in just a few seconds.
5. The machine is very portable and can be taken anywhere.

Product Features		Product Specifications		Product Dimensions		Product Weight	
Material	Stainless Steel	Capacity	1.5L	Width	100mm	Height	150mm
Power	100W	Pressure	15bar	Weight	1.5kg	Volume	1.5L
Color	Silver	Material	Stainless Steel	Weight	1.5kg	Volume	1.5L



2 IN 1 DC 12V PORTABLE ESPRESSO COFFEE MACHINE




PRODUCT FEATURES

1. Compact and portable design, easy to carry and use.
2. 12V DC power source, suitable for car use.
3. High-quality stainless steel body, durable and safe.
4. Precise temperature control, ensuring the best coffee taste.
5. Easy to clean and maintain.

TECHNICAL SPECIFICATIONS							
Model	DC-12V	Power Source	12V DC	Power Output	10W	Material	Stainless Steel
Capacity	150ml	Pressure	15bar	Temperature	90°C	Weight	250g
Dimensions	100x50x100mm	Color	White/Red/Black	Warranty	1 Year	Accessories	Power Cable, Cleaning Brush

[illegible]

Abstract

[illegible]

$\frac{1}{n} \sum_{i=1}^n x_i = \bar{x}$


$$\frac{1}{10000} \cdot \frac{1}{10000} = \frac{1}{100000000}$$


$$\frac{1}{1000} \times 1000 = 1 \text{ (unit)}$$


$$\frac{0000}{0000000000000000} \cdot \frac{0000}{0000}$$


$$\frac{1}{1000} \times 1000 = 1 \text{ (unit)}$$



$$\frac{1}{1000} \times 1000 = 1$$



Page 10 of 10

1. 
2. 
3. 

000000000000							
0 0000	00000	00000	000000000000	000 000000000000 00	0 000000000000	000000000 0000 0	000 00000
000000000000	0000	✓	✓	000000	0000 0000 00	0000 000000 00000000 0 00000 000 00000 0000000	00000000000 0 0000000000000000000000 0000000000000000000000
000000000000	0000	✓	✓				
000000000000	0000	✓	✓				
000000000000	0000	✓					
000000000000	0000	✓					
000000000000	0000	✓					
000000000000	0000	✓					
000000000000	0000	✓	✓			0000 000000 00000000 0 00000 000 000 0000000	



1. 將充氣泵的電源插頭插入電源插座。



1. 將充氣泵的電源插頭插入電源插座。

2. 將充氣泵的電源插頭插入電源插座。

1. 將充氣泵的電源插頭插入電源插座。
2. 將充氣泵的電源插頭插入電源插座。
3. 將充氣泵的電源插頭插入電源插座。

1. 將充氣泵的電源插頭插入電源插座。

2. 將充氣泵的電源插頭插入電源插座。

1. 將充氣泵的電源插頭插入電源插座。
2. 將充氣泵的電源插頭插入電源插座。
3. 將充氣泵的電源插頭插入電源插座。



1. 將充氣泵的電源插頭插入電源插座。


1. 將充氣泵的電源插頭插入電源插座。



1. 將充氣泵的電源插頭插入電源插座。

2. 將充氣泵的電源插頭插入電源插座。

1. 將充氣泵的電源插頭插入電源插座。
2. 將充氣泵的電源插頭插入電源插座。
3. 將充氣泵的電源插頭插入電源插座。
4. 將充氣泵的電源插頭插入電源插座。



000/000

[illegible]

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

[illegible]

□ □ □ □ □

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □



00000000/0000000000

- [illegible]

Page 10 of 10

1. 在“数据”选项卡中，单击“数据”组中的“数据工具”按钮，打开“数据工具”任务窗格。
2. 在“数据工具”任务窗格中，单击“数据”组中的“数据工具”按钮，打开“数据工具”任务窗格。
3. 在“数据工具”任务窗格中，单击“数据”组中的“数据工具”按钮，打开“数据工具”任务窗格。
4. 在“数据工具”任务窗格中，单击“数据”组中的“数据工具”按钮，打开“数据工具”任务窗格。

[illegible]

- [illegible]



100

11 12 13 14 15 16 17 18 19 20 21 22




0000000
000/000

- [illegible]

0 0 0 0 0 0 0 0 0 0 0 0		
0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 C	0 0 0 C
0 0 0 0 0 0 0	0 0 0 0	0 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0 0 0	0 0 0 0	0 0 0 0



- [illegible]



Widely Usage



[illegible]

2.0-3.0 bar
Car/SUV



1.0-2.1 bar
Various types
of bicycles



1.5-2.2 bar
kinds of motorcycles
or motor vehicles



0.2-0.6 bar
Balls and other inflatable products



Function as a power bank

Model	TE1-0338
Product Size	170x75x55mm
Input	DC 5V, 1A
With high inflation pressure	3-150PSI (0.2-10.3bar)
Air Flow Capacity	25L/min
Lithium Battery Capacity	6000mAh
Fully Charging Time	3-5 hours

Type C charging port
USB output port

