



PRODUCT CATALOGUE



COMPANY PROFILE



ABOUT US

ACRO Metal Products Ltd., was founded in 2003, a professional manufacturing company, having more than 20 years **OEM** experiences. The main products include stamping parts, welding parts and assembly parts, used for Automotive industry, Machinery industry, Garage door Industry, Outdoor Camping industry, etc. ACRO has passed IATF 16949:2016 and ISO 9001:2015 international quality system certificates, having a wealth of experience in providing good service to the Tier1 and Tier2 Auto customers. More than 60% products are sold to the North American and European markets, having rich overseas service experience.




ACRO is located in Jiaxing city, Zhejiang province, close to Shanghai seaport and Ningbo seaport, covers an area of 50,000 square meters, the **Owned Plant's Land** can provide customers with a more competitive offer.

ACRO pays highly attention to the technique and quality, and keep improving, has 55 pcs Stamping machines (from 40 tons to 500 tons), 6 pcs CNC machines (include CNC stamping, CNC bending and CNC center), 2 pcs Welding Robots, and Measuring machines include CMM (coordinate measuring machine), projector, salt spraying tester, tensile tester, etc. ACRO 's aim is Success In Quality.

Looking forward to cooperating with you!

1 AUTOMOTIVE COMPONENTS



REAR SEAT CUPHOLDER BRACKET

Application: Rivian R1T



Raw Materials:HSLA340(T=1.5mm)
Finishing:KTL(>15um)
Dimension(L*W*H):425*420*30mm
Weight:1.2KGS



SEAT BELT MOUNTING BRACKETS

Application: BMW X3



Raw Materials:S420MC(T=2.5mm)
Finishing:KTL(>15um)
Dimension(L*W*H):110*74*54mm
Weight:0.3KGS

Application: Damiler S450



Raw Materials:S420MC(T=2.5mm)
Finishing:KTL(>15um)
Dimension(L*W*H):125*50*60mm
Weight:0.2KGS



SUNSHADE CURTAIN BASE PROFILE FOR REAR WINDOW

Application: Audi A8

Raw Materials:DX51D+Z100(T=1.0mm)

Finishing:None

Dimension(L*W*H):1195*63*30mm

Weight:1.1KGS



Application: BMW X5

Raw Materials:S420MC(T=1.5mm)

Finishing:KTL(>15um)

Dimension(L*W*H):925*144*30mm

Weight:0.8KGS



HORN SUPPORT BRACKET

Application: Chery Omoda 5

Raw Materials:DC01 (T=1.2mm)

Finishing:KTL(>15um)

Dimension(L*W*H):Ø248*36mm

Weight: 0.58KGS



ACRO



FRONT GRILLE BAFFLE

ACRO

Application: LAND ROVER SUV

Raw Materials: Q235 Flat Steel

Finishing: Powder coating (>80um)

Dimension(L*W*H): 300*100*150mm

Weight: 0.5~1KGS



BRAKE DISC GUARD PLATE

Application: LAND ROVER SUV

Raw Materials: SPHC (T=1.5mm)

Finishing: Powder coating (>80um)

Dimension(L*W*H): Ø320*22mm

Weight: 0.5KGS



EXHAUST SYSTEM OUTSIDE END CAP

Application: FAW & FOTON Truck

Raw Materials:439SS (T=1.5mm)

Finishing:Self Colour

Dimension(L*W*H): Ø282*25mm

Weight:0.9KGS



JMC Heavy Truck

Raw Materials:439SS(T=1.5mm)

Finishing:Self Colour

Dimension(L*W*H):650*650*135mm

Weight:7KGS



EXHAUST SYSTEM CONNECTING BRACKETS

Application: SHACMAN & FOTON Truck

Raw Materials:439SS(T=1.5mm)

Finishing:Self Colour

Dimension(L*W*H):650*650*135mm

Weight:7KGS



EXHAUST SYSTEM MUFFLER BAFFLE

Application: Leapmotor C11

Raw Materials:439SS(T=0.8mm)

Finishing:Self Colour

Dimension(L*W*H):240*140*170mm

Weight:0.2KGS



Application: Ford CD4.3

Raw Materials:439SS (T=1.0mm)

Finishing:Self Colour

Dimension(L*W*H): Ø110mm ~ Ø182mm

Weight:0.14KGS ~ 0.34KGS



EXHAUST SYSTEM MUFFLER HEAT COVER


Application: HOZON EP32

Raw Materials:SUH409 (T=0.8mm)

Finishing:Self Colour

Dimension(L*W*H): 335*127*59mm

Weight:0.1~ 0.2KGS



LIGHT GUARD FOR SUV


Application: After Market

Raw Materials:Q195 iron wire

Finishing: Powder coating (>80um)

Dimension(L*W*H):400*160*200mmm

Weight:1.2KGS



Raw Materials:Q235 Flat Steel

Finishing: Powder coating (>80um)

Dimension(L*W*H):385*355*100mmm

Weight:2.0KGS



SIDE WINDOW DEFENDER LADDER FOR SUV

Application: After Market

Raw Materials:Q195 square tube

Finishing: Powder coating (>80um)

Dimension(L*W*H):1230*350*110mm

Weight:3.8KGS



DEFENDER LADDER FOR SUV

ACRO

Application: After Market

Raw Materials:Q195 square tube

Finishing: Powder coating (>80um)

Dimension(L*W*H):1230*350*110mm

Weight:3.8KGS



Raw Materials:Al 6063-T6 tube

Finishing: Powder coating Black&Grey (>80um)

Dimension(L*W*H):1170*240*140mm

Weight:2.0KGS



ACRO

2 **HARDWARE ACCESSORIES**



ACRO



Weight:1.2KGS




Weight:1.1KGS



Weight:1.1KGS



Weight:0.33KGS



VAN CONTAINER HINGES




⑤

PN:02-H180-SS

Raw Materials:304SS(T=4mm)

Finishing:Polishing

Weight:0.41KGS




⑥

PN:02-H210-SS

Raw Materials:304SS(T=4mm)

Finishing:Polishing

Weight:0.51KGS




⑦

PN:02-H230-SS

Raw Materials:304SS(T=3mm)

Finishing:Polishing

Weight:0.58KGS






⑧

PN:03-H1193-SS

Raw Materials:304SS(T=3mm)

Finishing:Polishing

Weight:0.56KGS




⑨

PN:03-H201-SS

Raw Materials:304SS(T=3mm)

Finishing:Polishing

Weight:0.56KGS





⑩

PN:03-H262-SS

Raw Materials:304SS(T=4mm)

Finishing:Polishing

Weight:0.88KGS




⑪

PN:03-H288-SS

Raw Materials:304SS(T=3.5mm)

Finishing:Polishing

Weight:1.1KGS




⑫

PN:03-H330-SS



Raw Materials:304SS(T=4mm)

Finishing:Polishing

Weight:1.2KGS




SINGLE PIPE FIXATION



Raw Materials: Steel

Finishing: Yellow Znic with or without Black plastic dipping

Specifications	Inner diameter of the holeInner	Inner diameter of mounting hole	Center distance of mounting holes	Thickness	Width
D5	5mm	6.5mm	15mm	0.6mm	16mm
D6	6mm	6.5mm	15mm	0.6mm	16mm
D8	8mm	6.5mm	15mm	0.6mm	16mm
D10	10mm	6.5mm	20mm	0.6mm	16mm
D12	12mm	6.5mm	20mm	0.6mm	16mm
D14	14mm	6.5mm	20mm	0.6mm	16mm
D16	16mm	6.5mm	25mm	0.6mm	16mm
D18	18mm	6.5mm	25mm	0.6mm	16mm
D20	20mm	6.5mm	25mm	0.6mm	16mm
D25	25mm	6.5mm	30mm	0.6mm	16mm
D30	30mm	8.5mm	35mm	1.0mm	16mm
D35	35mm	8.5mm	35mm	1.5mm	16mm
D40	40mm	8.5mm	40mm	1.5mm	16mm
D45	45mm	8.5mm	43mm	1.6mm	16mm
D50	50mm	8.5mm	46mm	1.5mm	16mm



Raw Materials: Steel

Finishing: Yellow Znic with or without Black plastic dipping

D		6 [2]	6 [3]	6 [4]	6 [5]	6 [6]	8 [2]	8 [3]	8 [4]
n	Number of pipes	2	3	4	5	6	2	3	4
	L ₀	6.0	12.0	18.0	24.0	30.0	8.0	16.0	24.0
	L ₁	20.0	26.0	32.0	38.0	44.0	24.0	32.0	40.0
	R	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0
	R ₁	3.0	3.0	3.0	3.0	3.0	4.0	4.0	4.0
	b	0.5	0.5	1.0	1.0	1.0	0.5	0.5	1.0
	h	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0

D		8 [5]	8 [6]	10 [2]	10 [3]	10 [4]	10 [5]	10 [6]	12 [2]
n	Number of pipes	5	6	2	3	4	5	6	2
	L ₀	32.0	40.0	10.0	20.0	30.0	40.0	50.0	12.0
	L ₁	48.0	56.0	29.0	39.0	49.0	59.0	69.0	34.0
	R	6.0	6.0	7.0	7.0	7.0	7.0	7.0	7.0
	R ₁	4.0	4.0	5.0	5.0	5.0	5.0	5.0	6.0
	b	1.0	1.0	0.5	0.5	1.0	1.0	1.0	0.5
	h	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0

LOCK




①

PN:L-1150-L/R

Raw Materials:304SS

Finishing:Polishing or Black coating

Weight:0.3KGS




②

PN: L-3885

Raw Materials:304SS

Finishing:Polishing or Black coating

Weight:0.5KGS




③

PN: L-8815

Raw Materials:304SS

Finishing:Polishing

Weight:0.5KGS



industrial cabinet lock



- truck toolbox lock -



- RV camper door lock -




FUEL TANK CAP

Application: Fuel Tank



Raw Materials: Steel + Casting
Finishing: Znic for steel + KTL for castings
Dimension(L*W*H): $\varnothing 102 \times 63\text{mm}$
Weight: 0.7KGS



CLAMPS

Application: Pump



Raw Materials: SUS304(T=3mm)
Finishing: Polishing
Dimension(L*W*H): $\varnothing 100 \sim 320 \times 20\text{mm}$
Weight: 0.2~0.7KGS



OIL PIPELINE

Application: Fuel Dispenser



Raw Materials: Galvanized Tube(T=1.25mm)
Finishing: None
Dimension(L*W*H): 830-1100*400*30mm
Weight: 1.4~1.7KGS



SUPERMARKET FREEZER ACCESSORIES

Bottom End Cap



Raw Materials:Galvanized sheet(T=2.6mm)
Finishing:None
Dimension(L*W*H): 950*260*60mm
Weight:5KGS

Side Mounting Bracket



Raw Materials:Galvanized sheet(T=1.8mm)
Finishing:None
Dimension(L*W*H): 175*120*70mm
Weight:0.46KGS


Bottom Support Bracket



Raw Materials:Galvanized Steel(T=1.1mm)
Finishing:None
Dimension(L*W*H): 195*76*30mm
Weight:3.6KGS



Big Hinges Series



Raw Materials: Galvanized Steel (T=2.5mm)
Finishing: None
Dimension (L*W*H): 506*110*50mm
Weight: 0.58~0.76KGS

Small Hinges Series



Raw Materials: Galvanized Steel (T=1.1mm)
Finishing: None
Dimension (L*W*H): 195*76*30mm
Weight: 0.35~0.43KGS

Slider Brackets



Raw Materials: Galvanized Steel (T=3.81mm)
Finishing: None
Dimension (L*W*H): 83*153*76mm
Weight: 0.7KGS

Bottom Fixture Brackets



Raw Materials: Galvanized Steel (T=2.5mm)
Finishing: None
Dimension (L*W*H): 62*92*60mm & 68*166*102mm
Weight: 0.2 & 0.5KGS



3 SLINGSHOT



TRADITIONAL SLINGSHOT

ACRO

Model 3027



- Tempered steel yoke
- Durable surgical tubing for power shots
- Shoots 1/4 or 3/4 and 1/2 glass shots
- Leather pouch
- Great for survival trips

Model 3030



- Hyper-velocity tapered bands

FOLDING SLINGSHOT

Model 3040



- Tempered steel yoke
- Hinged arm
- support folds for storage
- Durable surgical tubing for power shots
- Shoots 1/4 or 3/4 and 1/2 glass shots
- Leather pouch
- Great for survival trips

Model 3055



- Hyper-velocity tapered bands
- Hinged arm support folds for storage

ADJUSTABLE SLINGSHOT KIT

Model 3060K



- Fully adjustable yoke
- Hyper-velocity tapered bands
- Includes: Replacement band, .177 cal steel shot and .30 cal steel shot

SLINGSHOT BAND

Model 3355




- Includes: Hyper-velocity band, Rubber yoke tips

Model 3330



- Includes new band with pouch and rubber yoke tips



STEEL SHOT

ACRO

1/4" STEEL SHOT Model 3100



•250 count

3/8" STEEL SHOT Model 3138





•75 count



PRODUCTION EQUIPMENTS & CMM







www.acro-metal.com

Email: acro@acro-metal.com

Addr. : No.200 Weisheng Road, Xiuzhou Industrial Zone, Jiaxing, Zhejiang, China, 314031