

# GREEN<sup>🌱</sup>

## SUSTAINABLE PRODUCT

### FSC PAPER TAPE

Backing / Adhesive	Kraft paper / Hot Melt
Item No.	FSP
Thickness(mm)	■ 0.13 / ■ 0.12
Color	■ ■
Application	Forest Stewardship Council Certification , Universal use.



### BIODEGRADABLE TAPE

Backing / Adhesive	Plant Fiber / Acrylic Water-Based Plant Fiber / Hot Melt	
Item No.	BDA	BDH
Thickness(mm)	0.05 / 0.052 / 0.053 / 0.06	0.045 / 0.05
Application	Easy Tear , Pollution and Carbon Reduction.	



- ✓ 1. Easy opening without any tools
- ✓ 2. Avoid cutting into / damage your valuable goods
- ✓ 3. The outer box can be recycled and reused
- ✓ 4. Reduce the risk of using knives.



## EASY PEEL TAPE

Backing / Adhesive	BOPP / Acrylic Water-Based	
Item No.	EP01	EP02
Thickness(mm)	0.05	0.05 / 0.075
Application	Carton sealing,easy open.	

EP01



EP02

### ★ Working efficiency

Isn't it difficult to peel off/ open tape sealed the boxes?



Before

### ★ Workability is improved


5mm non-adhesive on one side, so it's easy to open by pinching the edges, and you don't need a cutter or scissors.



After


# OPP PACKING TAPE



## Reliable and Durable Packaging Solution

- Branding with Custom Printed Tapes
  - Packaging and Shipping
  - Bundling Small Items
  - DIY and Crafting
  - Retail Packaging
  - Stationery Use
  - Carton Sealing
  - Gift Wrapping
- 
- A roll of custom printed tape is shown, featuring a design with orange, black, and blue horizontal bands. A small piece of yellow tape is also visible in the bottom right corner.



## BOPP PACKING / PRINTED TAPE

Backing / Adhesive	BOPP / Acrylic Water-Based	Acrylic Solvent-Based
Item No.	OPW	OP1
Thickness(mm)	0.038 - 0.090	0.043 - 0.090
Color		
Application	Carton sealing. Low noise, no noise and easy tear are also available.	







## BOPP PACKING TAPE

Backing / Adhesive	BOPP / Hot Melt
Item No.	OPH
Thickness(mm)	0.040 - 0.090
Color	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> SC
Application	Carton sealing, good initial tack and temperature. Easy Tear are also available.



Tamper-Evident



## SECURITY SEAL TAPE ( Total transfer / Zero transfer )

Backing / Adhesive	PET / Acrylic Solvent-Based
Item No.	SV01
Thickness(mm)	0.025 / 0.036 / 0.05 / 0.075 / 0.085
Application	secure and protect your packages from transportation theft.



# CLOTH DUCT TAPE

Strong Adhesion, Waterproof Durability



- General Repairs
- Sealing and Binding
- Marking and Labeling
- Event Decoration
- Cable Management
- Construction and Industrial Use
- Temporary Fixing
- Safety and Warning Markings

## PRINTED CLOTH TAPE

Backing / Adhesive	Cloth / Hot Melt
Item No.	PCH
Thickness(mm)	0.17
Color	<input type="checkbox"/> P
Application	Universal use. Designed for permanent and temporary applications.





## CLOTH TAPE

Backing / Adhesive	Cloth / Rubber (OCR) Cloth / Hot Melt (OCH)	
Item No.	OCR	OCH
Thickness(mm)	0.28 / 0.3	0.17 / 0.2 / 0.23 / 0.25
Color	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
Application	Use for heavy packing, book binding, masking.	

## FLUORESCENT CLOTH TAPE

Backing / Adhesive	Cloth / Rubber (FCR) Cloth / Hot Melt (FCH)	
Item No.	FCR	FCH
Thickness(mm)	0.30	0.17
Color	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
Application	Consists of a layer of fluorecent material.It can reflect light.	



## HOLOGRAPHIC CLOTH TAPE

Backing / Adhesive	Cloth / Hot Melt	
Item No.	HCR	
Thickness(mm)	0.17	
Color	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
Application	Universal use. Designed for permanent and temporary applications.	



# MASKING TAPE

Precision Masking, Residue-Free Removal




## GENERAL MASKING TAPE

Backing / Adhesive	Crepe paper / Rubber
Item No.	SM01
Thickness(mm)	0.135
Application	General Purpose, masking application.



## HEAT RESISTANCE MASKING TAPE



Backing / Adhesive	Crepe paper / Rubber
Item No.	SM28
Thickness(mm)	0.14
Application	100°C Heat resistance, for automobile painting.

## UV RESISTANCE MASKING TAPE



Backing / Adhesive	Crepe paper / Acrylic Water-Based
Item No.	SM07F
Thickness(mm)	0.13
Application	UV resistance, for 2 weeks outdoor masking application.

## PRINTED MASKING TAPE



Backing / Adhesive	Crepe paper / Rubber
Item No.	SML
Thickness(mm)	0.13
Application	Ideal for previously painted surfaces, holding drawings, blueprints or tracing to drawing boards.

# DOUBLE / SINGLE SIDED TAPE

Strong Bond, Clean Finish

## DOUBLE SIDED TISSUE TAPE

Backing / Adhesive	Tissue/Acrylic Water-Based	Tissue/Acrylic Solvent-Based	Tissue/ Hot Melt
Item No.	SDTW	SDTS	SDTH
Thickness(mm)	0.08 - 0.12	0.08 - 0.15	0.06 - 0.12
Application	High adhesion and easy to tear. Good for splicing plate, leather, cloth and plastic surface.		

## DOUBLE SIDED PET TAPE

Backing / Adhesive	PET / Acrylic Solvent-Based
Item No.	SDP
Thickness(mm)	0.09 / 0.112
Application	Suitable on material of iron and plastic.

## DOUBLE SIDED OPP TAPE

Backing / Adhesive	Acrylic Solvent-Based
Item No.	SDBS
Thickness(mm)	0.08 - 0.10
Application	General purpose.

## SINGLE / DOUBLE SIDED FOAM TAPE

Backing / Adhesive	EVA / Acrylic Solvent-Based	PE / Acrylic Solvent-Based
Item No.	EVAS / EVAD	EPES / EPED
Thickness(mm)	1 - 2	1 - 2
Application	For shock absorption, and household stuff fixing.	


## DOUBLE SIDED CLOTH TAPE

Backing / Adhesive	Cloth / Rubber / Hot Melt
Item No.	SDC
Thickness(mm)	0.3 - 0.42
Application	Perfect for carpet and splicing.



# PVC TAPE

Abrasion-Resistant, Waterproof Protection



PN / PC / PW

PVD

PVE



## PVC EMBOSSED TAPE


Backing / Adhesive	PVC / Rubber
Item No.	PVE
Thickness(mm)	0.15 - 0.17
Color	
Application	Embossed surface and easy to tear for sealing purpose.

## PVC DUCT TAPE


Backing / Adhesive	PVC / Rubber
Item No.	PVD
Thickness(mm)	0.13 - 0.18 / 0.5
Color	
Application	Ideal for pipe and industrial purpose.

## PVC WARNING TAPE / PE WARNING / OPP

Backing / Adhesive	PVC / Rubber	PE / Rubber	OPP / Acrylic Solvent-Based
Item No.	PN	PC	PW
Thickness(mm)	0.15 - 0.16	0.14	0.09
Color			
Application	Used for warning.		



## PVC INSULATION TAPE

Backing / Adhesive	PVC / Rubber	
Item No.	IE	
Thickness(mm)	0.13 - 0.20	
Color	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
Application	Ideal for insulation and high voltage resistance. 	



## PVC LANE MARKING TAPE

Backing / Adhesive	PVC / Rubber	
Item No.	PFR (Paper Core)	PFP (PE Core)
Thickness(mm)	0.15 - 0.16	
Color	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
Application	Surface protection, lane marking purpose.	



# STATIONERY TAPE

Easy Stick, Everyday Essential



## CELLOPHANE TAPE

Backing / Adhesive	Cellophane / Rubber
Item No.	CTR
Thickness(mm)	0.05
Application	For light packaging, sealing , all stationery purpose.



## INVISIBLE TAPE / ACETATE TAPE

Backing / Adhesive	BOPP / Acrylic Water-Based
Item No.	IB
Thickness(mm)	0.05
Color	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Application	Use for light packaging, can be written on surface.




## DOUBLE SIDED TAPE

Backing / Adhesive	PET / Acrylic Solvent-Based
Item No.	DST
Thickness(mm)	0.063
Color	<input checked="" type="checkbox"/>
Application	No glue residue(DST).Great for crafts, mounting.Eco-friendly, no release liner.




## RAINBOW TAPE

Backing / Adhesive	PET / Acrylic Water-Based / Acrylic Solvent-Based
Item No.	JN01
Thickness(mm)	0.04 - 0.05
Color	
Application	Use for automobile and other decorative purpose.

## GLITTER TAPE

Backing / Adhesive	CPP / Acrylic Water-Based
Item No.	GT
Thickness(mm)	0.05
Color	Multiple Color
Application	Decorative and stationery purpose.



## SINGLE COLOR WASHI TAPE

Backing / Adhesive	Washi / Acrylic Water-Based
Item No.	PW
Thickness(mm)	0.105
Color	Multiple Series and also pure colors.
Application	Decorative purpose.

## PRINTED WASHI TAPE

Backing / Adhesive	Washi / Acrylic Solvent-Based
Item No.	PW1
Thickness(mm)	0.09
Color	Multiple Series and also pure colors.
Application	Decorative purpose.



# INDUSTRIAL TAPE

Built Tough for Industrial Use



## ANTI-SLIP TAPE

Backing / Adhesive	PVC / Acrylic Solvent-Based / Rubber	
Item No.	AST	
Thickness(mm)	0.8	
Color	<input type="checkbox"/> <input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
Application	High friction slip-resistant surface to provide a good protection in heavy foot-traffic areas.	



ALM


ALS

## ALUMINUM TAPE

Backing / Adhesive	Aluminum Foil / Acrylic Water-Based Aluminum Foil / Acrylic Solvent-Based	
Item No.	ALM	ALS
Thickness(mm)	0.05 - 0.10	
Application	Good for pipe wrapping. Good weather resistant	



## REFLECTIVE TAPE

Backing / Adhesive	PET / Acrylic Solvent-Based
Item No.	RET
Thickness(mm)	0.023 - 0.052
Color	
Application	Multiple choice and color for sign or safety signs.



## COPPER FOIL TAPE

Backing / Adhesive	Copper Foil / Acrylic Solvent-Based
Item No.	CFT
Thickness(mm)	0.05 - 0.1
Application	Generally used for EMI shielding, working with EL, making capacitive touch pads, ultra-thin wiring needs.



# NANO MAGIC TAPE

Ease of Use, No Residue, Reusable

- Versatile and Reusable
- Strong Hold, Gentle on Surfaces
- Invisible and Seamless
- Perfect for Any Surface
- Easy to Apply and Remove
- Endless Possibilities



Easy to peel off without leaving any residue



Washable if it gets dirty



Restores stickiness after drying

## NANO MAGIC TAPE


Backing / Adhesive	PET/Acrylic Water-Based
Item No.	NMT
Thickness(mm)	0.5
Application	Paste photos or posters, fix carpet mats, organize and secure articles, prevent furniture from sliding, etc.

## NANO MAGIC TAPE(Double sided)

Backing / Adhesive	PET / PU
Item No.	NMD
Thickness(mm)	1 - 2
Application	Used for kitchen stove, dishwasher, gas station, toilet, floor gap, etc.

# ENGINEERING TAPE

Engineered for Durability and Efficiency



## ENGINEERING TYPE REFLECTIVE MARKING TAPE

Backing / Adhesive	Hot Melt	
Item No.	P5011X(With adhesive)	P5010X(Without adhesive)
Thickness(mm)	1.5-2.1	
Color	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	
Application	Features patterns and signs with glass beads embedded on the substrate and surface, providing reflectivity and a non-slip texture. It is suitable for concrete, asphalt, cement, marble, and various other materials.	

## ENGINEERING TYPE STAIN RESISTANT TAPE


Backing / Adhesive	Hot Melt	
Item No.	P5021X(With adhesive)	P5020X(Without adhesive)
Thickness(mm)	1.1-1.3	
Color	<input checked="" type="checkbox"/>	
Application	The surface has a high-performance coating without glass beads, offering good abrasion resistance and easy cleaning. It can be customized with color patterns and is suitable for both indoor and outdoor floors.	





# ELECTRICAL TAPE

Secure Insulation, Reliable Protection



PLW



PCC



PCB

## PROTECTION FILM

Backing / Adhesive	PE / Rubber	PE / Acrylic Water-Based	PVC / Rubber
Item No.	PLW	PCC	PCB
Thickness(mm)	0.08	0.05	0.11
Application	Surface protection of metal and Plastic plates.		



## PE STRETCH FILM

Backing / Adhesive	PE		
Item No.	PEH (Hand)	PEM (Machine)	PEP (Pre-stretch)
Thickness(mm)	0.009 - 0.023		
Application	Economically efficient packaging material.		



## PVC FILM

Backing / Adhesive	PVC
Item No.	PVC
Thickness(mm)	0.18
Application	For smooth surface protection.

# MASKER TAPE

Perfect Masking, Effortless Application



## CLOTH MASKER TAPE

Backing / Adhesive	Cotton Gauze Fabric / Hot Melt	
Item No.	501	
Width (mm)	550, 1100, 1400, 1500, 1800, 2100, 2400, 2700	
Length (M)	20, 25	
Application	General Purpose, masking application.	



## CREPE MASKER TAPE

Backing / Adhesive	Crepe Paper / Acrylic Water-Based	
Item No.	601 (General Purpose) 602 (UV Resistance) 603 (Heat Resistance)	
Width (mm)	550, 1100, 1400, 1800, 2700	
Length (M)	17, 33	
Application	Indoor, Outdoor and Car paint use.	



## WASHI PAPER MASKER TAPE

Backing / Adhesive	Washi Paper / Acrylic Water-Based	
Item No.	301	
Width (mm)	300, 550, 1100, 1400, 1800, 2700	
Length (M)	17, 33	
Application	Multiple Masking Purposes.	



## MASKER FILM

Backing / Adhesive	PE Film	
Item No.	101	
Width (mm)	900, 1000	1800, 2600, 3600
Length (M)	200	100
Application	Multiple Masking Purposes.	

# OTHER TAPE

Various tapes to meet your needs



SK01



SK02



SK03

## KRAFT PAPER TAPE / PRINTED KRAFT PAPER TAPE


Backing / Adhesive	Un-writable Kraft Paper / Acrylic Solvent-Based	Writable Kraft Paper / Rubber	Printed Kraft Paper / Rubber
Item No.	SK01	SK02	SK03
Thickness(mm)	0.13	0.12 - 0.14	0.12 - 0.14
Application	For packaging and carton sealing.		



F307



F308



## FILAMENT TAPE

Backing / Adhesive	BOPP / Hot Melt/ Rubber		BOPP / Hot Melt
Item No.	F306	F307	F308
Thickness(mm)	0.14	0.175	0.16
Application	For heavy packaging and strong Fracture resistance.		



# Waterproof & Mold-Resistant Seal



## TUB SURROUND SEALER TRIM

Backing / Adhesive	PE / Butyl Rubber
Item No.	TSS
Thickness(mm)	1.5
Application	Waterproof Sealing for Bathtubs, Showers, and Kitchens. Prevent Mold and Mildew Growth in Wet Areas.



### Stain Proof


Applying to gaps prevents water intrusion and inhibits mold growth. It is highly resistant to stains, making cleaning easy. Effectively blocks soap scum, grease, and other stains, providing a clean, seamless finish with simple application.



### Easy to Use

Non-toxic and odorless, simply cut to your desired length and apply. Installation and removal are quick and easy. The soft material can bend to 90 degrees, allowing easy application to wall gaps.

Made from non-toxic, odorless material. The high-quality, durable material resists discoloration even with long-term use, making it both eco-friendly and highly practical.



## FELT STICKER

Backing / Adhesive	EVA / Acrylic Solvent-Based
Item No.	KL
Thickness(mm)	5.5mm
Application	Prevent scratching and noise.




## PTFE THREAD SEALING TAPE

Backing / Adhesive	PTFE
Item No.	ST
Thickness(mm)	0.075
Application	Used in sealing and locking the threads of water, air, and oil conduits.



## LUMINESCENT TAPE

Backing / Adhesive	PET / Acrylic Solvent-Based
Item No.	LUP
Thickness(mm)	0.35
Application	Used in firefighting, marine safety signs, and general guiding and marking signs.



## FLUORESCENT TAPE

Backing / Adhesive	PET / Acrylic Solvent-Based
Item No.	FUS
Thickness(mm)	0.14
Color	Yellow Green Red
Application	Used for warning, lane marking purpose.



## WEATHER SEALING TAPE

Backing / Adhesive	EPDM / Acrylic Solvent-Based
Item No.	EPDM
Thickness(mm)	6
Application	For gape seal out drafts and dust around doors and windows.



## EVA SPONGE FOAM TAPE

Backing / Adhesive	EVA / Acrylic Solvent-Based
Item No.	ESF
Thickness(mm)	1~6
Application	Sealed, Noise Resistance, Shock Resistance



## PU SPONGE FOAM TAPE

Backing / Adhesive	PU / Acrylic Solvent-Based
Item No.	PSF
Thickness(mm)	3~6
Application	Sealed, Noise Resistance, Shock Resistance



## RUBBER SPONGE FOAM TAPE

Backing / Adhesive	Sponge foam / Hot Melt
Item No.	KSF
Thickness(mm)	3~12
Application	Sealed, Noise Resistance, Shock Resistance



## PE CLOTH TAPE

Backing / Adhesive	PE / Acrylic Water-Based PET / Acrylic Water-Based
Item No.	PEW
Thickness(mm)	0.13 / 0.16
Color	<input type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>
Application	For Masking purpose.



# TAPE DISPENSER

Convenience and Efficiency, Your Tape Assistant



Item No. : D609P-1  
Material : Plastic  
Color : Orange  
Compatible Size :  
2" 、2.5" 、3" Tape, 3" Core



Item No. : D616A  
Material : Plastic  
Color : Red 、Blue  
Compatible Size :  
2" Tape, 3" Core



Item No. : D612P  
Material : Plastic  
Color : Red 、Blue  
Compatible Size :  
2" Tape, 38mm Core



Item No. : D609  
Material : Metal  
Color : Red  
Compatible Size :  
2" Tape, 3" Core



Item No. : D619P  
Material : Plastic  
Color : Red 、Blue  
Compatible Size :  
2.5" Tape, 3" Core



Item No. : D614KD  
Material : Plastic/Metal  
Color : Red  
Compatible Size :  
2" Tape, 3" Core



Item No. : D604P  
Material : Plastic  
Color : Clear  
Compatible Size :  
1/2", 3/4" Tape, 1" Core



Item No. : D603  
Material : Plastic  
Color : Red 、Yellow 、Blue 、  
Green 、Purple  
Compatible Size :  
1/2", 3/4" Tape, 1" Core



Item No. : D569P  
Material : Plastic  
Color : Clear  
Compatible Size :  
1/2", 3/4" Tape, 1" Core



Item No. : D201  
Material : Plastic  
Color : Red 、Yellow 、Black 、  
Blue 、Green 、Brown  
Compatible Size :  
1/2", 3/4" Tape, 1" Core



Item No. : D625  
Material : Plastic  
Color : Red 、Black 、Blue 、  
Yellow  
Compatible Size :  
1/2", 3/4" Tape, 1" Core



Item No. : D624  
Material : Plastic  
Color : Red 、Black 、Blue 、  
Green  
Compatible Size :  
1/2", 3/4" Tape, 1" Core

# MAILER

Shockproof Durability, Secure Delivery

## Kraft Bubble Mailer with FSC Certified Paper



Item No.	Size
KB-000	4"x8"
KB-00	5"x10"
KB-0	6"x10
KB-1	7.25"x12"
KB-2	8.5"x12"
KB-3	8.5"x14.5"
KB-4	9.5"x14.5"
KB-5	10.5"x16"
KB-6	12.5"x19"
KB-7	14.25"x20"
KB-CD	7.25"x8"

## Poly Bubble Mailer



Item No.	Size
PB-000	4"x8"
PB-00	5"x10"
PB-0	6"x10
PB-1	7.25"x12"
PB-2	8.5"x12"
PB-3	8.5"x14.5"
PB-4	9.5"x14.5"
PB-5	10.5"x16"
PB-6	12.5"x19"
PB-7	14.25"x20"
PB-CD	7.25"x8"

## Brown Honeycomb Mailer



Item No.	Size
PR-0	6"x10"
PB-1	7.25"x12"
PB-2	8.5"x12"
PB-3	8.5"x14.5"
PB-4	9.5"x14.5"
PB-5	10.5"x16"
PB-6	12.5"x19"
PB-7	14.25"x20"

## Poly Mailer ( 0.06mm poly film )



Item No.	Size
PM-1	6"x9"
PM-2	7.5"x10.5"
PM-3	9"x12"
PM-4	10"x13"
PM-5	12"x15.5"
PM-6	14.25"x19"
PM-7	19"x24"
PM-8	24"x24"

## Metallic Bubble Mailer



Item No.	Size
CD	6"x9"
DVD	7.5"x10.5"
Small books	9"x12"
Large books	10"x13"
Folder	12"x15.5"
Calendars	14.5"x19"

## Double Adhesive Poly Mailer



Item No.	Size
DA1(White)	10"x13"
DA2(Red)	10"x13"
DA3(Green)	10"x13"

## Corrugated Mailer



Item No.	Size
CM1	258x97x50mm

## Honeycomb Mailer



Item No.	Size
PR8	180x265mm
PR9	235x280mm

## Rigid Cardboard Mailer



Item No.	Size
RC1	5.75"x8"
RC2	8.5"x11"